

QUANTITY SCHEDULE FOR REINFORCED CONCRETE HEADWALL, CLASS B


PIPE DIAMETER	12"	15"	18"	24"	30"	36"	42"	48"	54"	60"
CONCRETE QUANTITY	1.0	1.3	1.8	2.7	3.5	4.9	6.4	8.0	10.0	12.3

STEEL SCHEDULE FOR REINFORCED CONCRETE HEADWALL


PIPE DIAMETER	12"	15"	18"	24"	30"	36"	42"	48"	54"	60"
NUMBER	4	4	4	4	4	4	4	4	4	4
LENGTH OF BARS	5'-0"	5'-0"	5'-0"	4'-0"	4'-0"	5'-0"	5'-0"	6'-0"	6'-0"	6'-0"

ALL REINFORCING STEEL TO BE 5/8" DIAMETER DEFORMED BARS. BARS TO BE PLACED IN THE MIDDLE OF THE CONCRETE. SOME REDUCTION MADE FOR CONCRETE PIPE AS IS MADE FOR BELL. PIPE.


REINFORCED CONCRETE HEADWALL DETAIL 1
NOT TO SCALE




PLAN AT OVERHEAD DOOR JAMBS 2
NOT TO SCALE




PLAN AT BUILDING CORNER 3
NOT TO SCALE




TYPICAL ROAD SECTION 4
NOT TO SCALE




TYPICAL PAVEMENT EDGE DETAIL 5
NOT TO SCALE




PIPE BOLLARD DETAIL 6
NOT TO SCALE




TYPICAL PAVEMENT SECTION 7
NOT TO SCALE



STORM SEWER TRENCH DETAIL 8
NOT TO SCALE




WATER LINE SERVICE TRENCH DETAIL 9
NOT TO SCALE



CONCRETE GENERATOR PAD ON GROUND 10
NOT TO SCALE

Public School
LineSinc Architecture
1000 WEST 10TH AVENUE SUITE 100
DENVER, CO 80202
TEL: 303.733.1111
WWW.LINE-SINC.COM

DH
Dufforne-Henry
North Springfield, Vermont
Tel: (802) 885-2261 • Fax: (802) 885-2260
www.dufforne-henry.com



BID DOCUMENTS
DO NOT REVISE
January 24, 2002

NO.	REVISION PER VERRANO COMMENTS	DATE
1	REMOVED PER VERRANO COMMENTS	1/24/2002

READSBORO VERMONT
READSBORO HIGHWAY GARAGE PROJECT

SITE DETAILS

DATE: 25 OCTOBER 2001

PROJECT NUMBER: 0000

DATE: 25 OCTOBER 2001

C9