



NOTES

TRUSS NOTES:

- TRUSS MANUFACTURER TO PROVIDE DEPT. OF STATE BUILDINGS ENGINEER A SET OF ENGINEERED & STAMPED DRAWINGS FOR APPROVAL PRIOR TO TRUSS MANUFACTURE.
- TRUSS MANUFACTURER TO PROVIDE THE CONTRACTOR WITH ALL NECESSARY INSTRUCTIONS FOR PROPER TRUSS INSTALLATION, ANCHORAGE, BRACING, LIFTING, ETC.
- TRUSS DESIGN LOADS IN ACCORDANCE WITH THE 1987 B.O.C.A. FOR VERMONT.
- MINIMUM LOADS: PER 1987 B.O.C.A. FOR V.T. (60 PSF MIN.)
- DEAD - AS CALCULATED FROM TRUSS & ROOF MATERIALS
- WIND - 25 PSF ON BOTTOM CHORD
- DIAGONAL WIND BRACING PER TRUSS MANUFACTURER.

LUMBER NOTES:

- FRAMING MEMBERS TO BE KILN DRIED CONSTRUCTION GRADE SPRUCE S4S 19% MOISTURE CONTENT.
- PLATES & NAILERS IN CONTACT WITH CONCRETE TO BE CCA 40 TREATED.
- BOARDS & BATTEN SIDING TO BE NATIVE ROUGH SAWN WHITE PINE, SPRUCE, OR EASTERN FIR.
- BOARDS TO BE RANDOM WIDTH 8\"/>

FINISH NOTES:

- ALL BOARDS & BATTENS TO BE STAINED WITH ONE COAT (ALL SURFACES) PRIOR TO INSTALLATION.
- AFTER INSTALLATION EXTERIOR SIDING TO RECEIVE ONE ADDITIONAL COAT OF STAIN.
- STAIN TO BE OLYMPIC OIL BASE SEMI-TRANSPARENT #3535 FLOUGE GREEN OR EQUAL.

REVISIONS	SCALE: AS NOTED
	DATE: FEB. 2002
	DRAWN BY: TJD/KRW
	APPR. BY:

READSBORO

24' x 48' STORAGE PLANS

SB-1

1 OF 1

READSBORO A.O.T.
24' x 48' STORAGE BUILDING
PLANS & DETAILS

READSBORO VERMONT

STATE OF VERMONT
Department of Buildings and General Services
Agency of Administration
Montpelier, Vermont