



FIRST FLOOR PLAN - DICKWAY DEPT. OFFICE - CEILING

NOTE:  
 ALL DIMENSIONS TO BE VERIFIED AT THE SITE BY THE CONTRACTOR. ANY ERROR OR POINTS IN QUESTION MUST BE REFERRED TO THE ARCHITECT FOR A DECISION BEFORE PROCEEDING WITH THE WORK.

CEILING CONTRACTOR SHALL CHECK WITH THE ELECTRICAL LIGHTING PLAN FOR LOCATION OF SUPPORTING MAIN TEES AND FINISH CEILING LAYOUT.

24" x 48" ACOUSTICAL TILE SUSPENDED CEILING MINERAL TILES TO BE USED. CEILING HEIGHT 8'-6" FOR ALL AREAS. ONE HOUR FIRE RATED CEILING SYSTEM. (EXCEPT DWG STORAGE)

CEILING CONTRACTOR SHALL CHECK WITH HEATING CONTRACTOR IN REGARDS TO THE LOCATION OF THE HEATING DIFFUSERS AND DUCT WORK ETC.  
 ALL LIGHTING FIXTURES SHALL BE SECURELY FASTENED TO THE MAIN TEES OF THE SUSPENDED CEILING SYSTEM.

CEILING CONTRACTOR SHALL INSTALL TWO SUSPENDED CEILING'S COMPLETE AS FOLLOWS:  
 ONE AT 8'-9" (SEE SECTION DWG'S A-A, B-B, C-C, D-D) WHICH WILL BE A STORAGE SYSTEM WITH 2x4 LAY-IN ACOUSTICAL TILES - 5/8" THICK. PATTERNS BY OWNER.  
 ANOTHER AT 10'-2" WHICH WILL BE A ONE HOUR FIRE RATED SYSTEM GRID WITH 2x4 LAY-IN 5/8" SHEETROCK PANELS TWO SIX INCH LAYERS OF FIBERGLAS INSULATION SHALL BE LAID Y FITTER TIGHT. LAYERS SHALL BE AT 90° TO EACH OTHER. THIS INSULATION SHALL BE LAID ON TOP OF FIVE RATED CEILING.

REVISIONS	BY
4-8-85 11-14-85	JW
8-9-85	
10-25-85	
2-18-86	
5-16-86	

**AGENCY OF TRANSPORTATION - NEW OFFICE**  
**STATE OF VERMONT - DEPT. OF STATE BUILDINGS**  
**DUMMERSTON, VERMONT**  
**GORDON G. WOODS ASSOC., ARCHITECTS, BURLINGTON, VERMONT**



DRAWN: Bw/jw  
 CHECKED: GCB  
 DATE: MAR. 29, 1985  
 SCALE: 1/4" = 1'-0"  
 JOB NO.: 8420  
 SHEET: 22 OF 22