

LOWER LEVEL PLAN - PLUMBING  
SCALE: 1/4" = 1'-0"

NOTES:  
ALL DIMENSIONS TO BE VERIFIED AT THE SITE BY THE CONTRACTOR. ANY ERROR OR POINTS IN QUESTION MUST BE REFERRED TO THE ARCHITECT FOR A DECISION BEFORE PROCEEDING WITH THE WORK.

PLUMBING CONTRACTOR SHALL FURNISH ALL NEW WATER PIPES BEFORE EQUIPMENT IS ATTACHED. NUMBER OF PEOPLE USING THIS LAYOUT.

SANITARY VENTS SHALL RUN IN PIPE CHASSES OR IN PARTITIONS. ALL HOT & COLD WATER LINES SHALL BE INSULATED.

ALL HOT & COLD WATER LINES SHALL BE COPPER & SIZE AS INDICATED AND TYPE "X" UNDERGROUND & TYPE "L" ABOVE GRADE INTERIOR WASTE & EX. PIPING PVC. SCH. 40 AS APPROVED BY VT. STATE FIRE PREVENTION DIVISION ABOVE GRADE ONLY.

**PLUMBING SYMBOLS**

- SOIL & WASTE LINES (BOULDER)
- SOIL & WASTE LINES
- COLD WATER LINES
- HOT WATER LINES
- GATE VALVES
- F.D. FLOOR DRAIN
- C.O. CLEANOUT
- BACK VENTING
- V.T.C. VENT THROUGH ROOF
- S SEWER LINE
- D DRAIN LINE
- C.D. CASE DRAIN
- EXISTING DRAIN LINE
- H.W. REGULATION LINE

ALL NEW PLUMBING FIXTURES SHALL BE BACK VENTED ACCORDING TO NATIONAL PLUMBING CODE. ALL NEW PLUMBING WORK SHALL BE DONE ACCORDING TO THE NATIONAL PLUMBING CODE.

DRAINAGE MAINS RUN UNDER CONCRETE FLOOR SLABS SHALL ALL BE CAST IRON PIPING MIN. SIZE 4" OR AS INDICATED.

SANITARY MAINS RUN UNDER FLOOR SLABS SHALL BE CAST IRON MIN. SIZE 4".


SANITARY VENTS RUN IN PIPE CHASSE OR IN PARTITIONS.

CN & HW DRUP LIDS CONCEALED IN PARTITIONS WHEREVER POSSIBLE.

CN & HW MAINS MAY BE RUN EXPOSED IN SOME AREAS WITH ARCHITECT'S APPROVAL.

ALL NEW HOT & COLD WATER LINES SHALL HAVE GATE VALVES WITH DRAIN AT EACH PLUMBING SINK, LAV, WATER CLOSET, ETC.

PLUMBING CONTRACTOR SHALL CHECK WITH GENERAL CONTRACTOR FOR CUTTING OF HOLES, TRENCHES, PATCHING CONC. FLOORS, PATCHING HOLES, ETC.



AGENCY OF TRANSPORTATION - NEW OFFICE  
STATE OF VERMONT-DEPT. OF STATE BUILDINGS  
DUMMERSTON, VERMONT  
GORDON G. WOODS ASSOC., ARCHITECTS, BURLINGTON, VERMONT

REVISIONS	BY
8-9-85	
1A 200 # INDUSTRY	BM
LETTER 8-27-85	
10-25-85	
2-18-86	
3-19-86	
5-16-86	

DRAWN	BM
CHECKED	BM
DATE	JULY 21, 1985
SCALE	1/4 INCH = 1 FOOT
LOG NO.	8420
SHEET	24
	OF 32 SHEETS