



CONTRACTOR TO VERIFY SIZE & LOCATION OF EXISTING PRESSURE PIPE. CUT EXISTING CMP USING EXISTING SLEEVE. INSERT 4" SDR 26 PVC THROUGH EXISTING TO NEW GRIT TRAP. SEAL W/ GROUT AROUND NEW PIPE & EXISTING "SLEEVE" ON BOTH ENDS.




SMH #1
 SR IM=498.70
 INV IN=486.70
 INV OUT=488.60

TIE INTO EXISTING 8" DIA. SDR 26 PVC PRESSURE PIPE. SEE DETAIL SHEET 3 FOR LOCATION, ELEVATION & MATERIAL TO BE VERIFIED BY CONTRACTOR.

CONCRETE SIDEWALK

DATUM	N/A
VERTICAL	N/A
HORIZONTAL	N/A



CLD CONSULTING ENGINEERS
 Inc.

The Curtis House
 256 Route 5 South • Norwich, VT 05055
 (802) 649-1154 • Fax: (802) 649-1159
 email: cld@cldegn.com • www.cldegn.com
 Maine • New Hampshire • Vermont

PROJECT NAME:	BRADFORD STATE HIGHWAY GARAGE	PLOT DATE:	04/22/2002
PROJECT NUMBER:	00-0174	DRAWN BY:	POJ
FILE NAME:	00-0174bdr.dgn	CHECKED BY:	JMS
PROJECT LEADER:	CIH	SHEET	2 OF 5
DESIGNED BY:	JMS		
CLD REFERENCE NO.:	00-0174		