REFERENCE DWG.

REINFORCING BARS ASTM A615 GRADE 60 UNLESS NOTED LAP ALL CONTINUOUS BARS	60
#3 =18" #6 =28" #9 =39"	40
#4 =18" #7 =21" #10=43"	
#5 =21" #8 =34" #11=44"	

Legend:

IF Inside Face	V	Vertical
NF Near Face	H	Horizontal
OF Outside Face	EW	Each Way
FF Far Face	B/Bot	Bottom
EF Each Face	SB	Support Bars

NOTICE

Shortages, improper fabrication or claims for any other reason must be reported to this company within a period of 15 days of delivery. This company reserves the right to correct any incorrect or field inspect prior to replacement or recondition of work done in the field without specific authorization from this company.

REINFORCING STEEL PLACING DRAWINGS ONLY. USE IN CONJUNCTION WITH CONTRACT DRAWINGS & SPECIFICATIONS. ELEVATIONS & DIMENSIONS SHOWN ON THIS DRAWING ARE FOR DETAILING PURPOSES ONLY AND SHOULD NOT BE USED FOR CONSTRUCTION UNLESS VERIFIED BY ENGINEER OR CONTRACTOR.

PROJECT	SAND & SALT SHEDS
	RTE 2
LOCATION	DANVILLE, VT.
ARCHITECT	
ENGINEER	STATE OF VERMONT
CUSTOMER	MILLER CONST.

Drawn By:	Date:	Revised By:	Job No:
J2 JNEAL	7-27-23		0932O136

Drawing Contains: FTG, WALL REINF

Drawing No.: R-1

BARKER STEEL CO., INC.
DEPOT
LEBANON, N.H.

DATE	BY	DESCRIPTION	DATE	SENT FOR
			7-7-23	APPROVAL

TYP. CORNER DETAIL



TYP. STEP DETAIL



SECTION (2)



SECTION (1)



ELEVATION (C)



ELEVATION (A)



FOUNDATION KEY PLAN



ELEVATION (B)



ELEVATION (E)



TYP. EXPANSION JOINT DETAIL

BENDING DETAILS

MARK	SIZE	SHAPE	A	B	C	D	E	F	G	H	J	K	LENGTH	NO. PCS.
TA1	#5	17	2'9	7'0									17	1
TA2	#5	H30	4'1	1'0									H30	1
SA1	#5	17	2'9	7'0									17	1
SA2	#5	17	2'9	7'0									17	1
SA3	#5	17	2'9	7'0									17	1
SA4	#5	17	2'9	7'0									17	1
SA5	#5	17	3'6	5'0									17	1
SA6	#5	17	3'6	5'0									17	1
SA7	#5	20	2'1	1'6	3'0								20	1
SA8	#5	17	2'9	7'0									17	1
SA9	#5	17	2'9	7'0									17	1
SA10	#5	17	1'4	5'0									17	1