


STATE OF VERMONT  
AGENCY OF TRANSPORTATION

# DISTRICT NO. 9 SERVICE BUILDING

DERBY, VERMONT



DEPARTMENT OF BUILDINGS  
AND GENERAL SERVICES  
2 GOVERNOR AIKEN AVENUE  
MONTPELIER, VERMONT

THOMAS W. TORTI, COMMISSIONER

HOWARD DEAN, MD.  
GOVERNOR

AGENCY OF TRANSPORTATION  
133 STATE STREET  
MONTPELIER, VERMONT  
BRIAN SEARLES, SECRETARY

ARCHITECTS:

**GOSSSENS BACHMAN, INC.**  
85 GRANITE SHRD LANE  
MONTPELIER, VERMONT 05602  
(802) 229-1664

CIVIL / ENVIRONMENTAL ENGINEER  
**DEWOLFE & ASSOCIATES**  
RR 2, BOX 2475  
MONTPELIER, VERMONT 05602  
(802) 229-6371

STRUCTURAL ENGINEER:  
**DEWOLFE & ASSOCIATES**  
RR 2, BOX 2475  
MONTPELIER, VERMONT 05602  
(802) 229-6371

MECHANICAL AND ELECTRICAL ENGINEER:  
**PEARSON & ASSOCIATES**  
P.O. BOX 610  
STOWE, VERMONT 05672  
(802) 253-9607

CIVIL ENGINEERING  
C1 SITE PLAN

STRUCTURAL DRAWINGS  
S1 FOUNDATION AND ROOF PLAN  
S2 DETAILS AND SECTIONS

ARCHITECTURAL DRAWINGS:  
A1 FLOOR PLAN, ELEVATIONS, DETAILS, SCHEDULE  
A2 BUILDING SECTION AND WALL SECTIONS  
A3 ELEVATIONS

MECHANICAL AND ELECTRICAL DRAWINGS:  
M1 MECHANICAL PLAN AND DETAILS  
M2 MECHANICAL DETAILS AND SCHEDULES  
P1 PLUMBING PLAN  
P2 PLUMBING DETAILS AND SCHEDULES  
E1 ELECTRICAL PLAN  
E2 ELECTRICAL SCHEDULES AND DETAILS

GENERAL NOTES:

1. ALL DIMENSIONS ARE FROM FACE OF STUDY DIMENSIONS INDICATED.
2. ALL DIMENSIONS GIVEN FROM FACE OF STUDY DIMENSIONS UNLESS OTHERWISE NOTED.
3. DO NOT SCALE DIMENSIONS FROM DRAWINGS. VERIFY CRITICAL DIMENSIONS. IN THE CASE OF MISSING OR CONFLICTING DIMENSIONS, CONTACT THE ARCHITECT.
4. PROVIDE BLOCKING IN WALLS TO ACCEPT GRAB BARS, HANDRAILS, ETC.
5. ALL WORK SHALL BE PERFORMED IN ACCORDANCE WITH STATE AND LOCAL CODES AND ORDINANCES.
6. THE GENERAL CONTRACTOR SHALL THOROUGHLY CLEAN THE PREMISES AT COMPLETION OF WORK AND LEGALLY DISPOSE OF ANY EXCESS MATERIAL OFF SITE.
7. EXISTING FLOOR SHALL BE PATCHED, FLEED, AND GROUND SMOOTH.
8. EXISTING FLOOR SHALL BE PATCHED, FLEED, AND GROUND SMOOTH.
9. ALL WOOD IN CONTACT WITH CONCRETE IS TO BE P.T.L.

PROJECT INFORMATION

BUILDING SIZE: 6,644 SQUARE FEET  
BOCA USE GROUP: S1 (MODERATE HAZARD STORAGE)  
NFPA USE GROUP: INDUSTRIAL  
BOCA CONSTRUCTION TYPE CLASSIFICATION: TYPE 5B (UNPROTECTED COMBUSTIBLE)  
SPRINKLER SYSTEM WILL BE INSTALLED THRU-OUT.