


LEGEND

- - - - - APPROX. LOCATION OF PROPERTY LINE
- 96 --- EXISTING CONTOUR
- 1100 --- EXISTING 5' CONTOUR
- 99 --- PROPOSED CONTOUR
- 1100 --- PROPOSED 5' CONTOUR
- --- EXISTING OVERHEAD UTILITY LINES
- --- EXISTING BURIED UTILITY LINES
- --- EXISTING COLLECT
- --- EXISTING STORM SEWER
- --- PROPOSED FORCE MAIN
- --- EXISTING CATCH BASIN
- --- EXISTING UTILITY POLE
- --- EXISTING SIGN
- --- EXISTING HYDRANT
- --- RR CROSSING SIGNAL LIGHT
- --- IRON PIN FOUND
- --- EXISTING WELL
- --- PROPOSED SEWER MANHOLE



CONTRACTOR TO EXCAVATE, EXPOSE AND PROVIDE SEPTIC TANK INVERT IN EXISTING SEWER MAIN AND PROVIDE CONSTRUCTION AND PART OF THE PUMP SYSTEM.

CONTRACTOR TO CONSTRUCT NEW PUMP STATION AND FORCE MAIN WITHOUT DISRUPTION TO OPERATION OF EXISTING WASTE WATER SYSTEM. FOLLOWING COMPLETION OF CONSTRUCTION, TESTING AND ACCEPTANCE BY THE OWNER THE CONTRACTOR SHALL THEN CONNECT THE BUILDING SEWER TO THE NEW TREATMENT.

NOTE: CONTRACTOR TO MAINTAIN 5 FT. OF SEPARATION BETWEEN FORCE MAIN AND UTILITY TUBE.

EXISTING 2" PIPE ABANDON IN PLACE

ABANDON EXISTING 3" C-B-BOX

ABANDON EXISTING 6" C-B-BOX

ABANDON EXISTING 6" C-B-BOX

ABANDON EXISTING 6" C-B-BOX



REVISIONS:

- 3/11/99 RELEASED TO TOWN OF FAIR HAVEN FOR REVIEW
- 6/15/99 REPORT FOR FORCE MAIN MISC. NOTE EDITS
- 7/02/99 ADD CLARIFY LOCATIONS MISC. PLAN EDITS
- 8/20/99 MISC. NOTE EDITS

RELEASED: AUGUST 1999

ISSUED FOR CONSTRUCTION

FAIR HAVEN WELCOME CENTER

FAIRHAVEN, VERMONT
 THESE PLANS ARE FOR THIS PROJECT ONLY AND ARE NOT FOR REUSE ON THIS PROJECT OR ANY OTHER PROJECT WITHOUT WRITTEN CONSENT OF ENMAN ENGINEERING, P.C.

Enman Engineering
 Environmental • Civil • Sanitary
 230 North Main Street
 Rutland, Vermont 05701
 (802)775-3437
 April 1998



THE CERTIFICATION ON THIS DRAWING ONLY INDICATES THE USE OF REGISTERED PROFESSIONAL ENGINEER RESPONSIBLE FOR PREPARATION AND IS NOT ISSUED FOR CONSTRUCTION UNLESS NOTED IN THE REVISION BOX.
 REGULATORY APPROVAL STAMP

WELCOME CENTER SITE PLAN

SCALE:	AS NOTED
DATE:	02/24/99
DESIGN BY:	BUE/TNT
DRAWN BY:	JBT/JPL
SHEET NO:	1 OF 9
PROJECT NO:	9816

Upon completion of construction, and prior to building occupancy and the engineer issuing his final construction report, the contractor responsible for construction supervision and management shall certify in accordance with the approved plans and conditions. Any deviations from the plans must be noted on a set of as-builts and furnished with the certification.