


- NOTES:
1. BALES SHALL BE EMBEDDED INTO THE GROUND A MIN. OF 4 INCHES.
 2. PLACE BOTTOM OF END BALES ABOVE ELEVATION OF TOP OF CENTER BALE

HAY BALE CHECK DAMS
NOT TO SCALE

EROSION CONTROL NOTES

1. SLOPE SURFACES SHALL BE ROUGHENED BY DRIVING TRACKED EQUIPMENT UP AND DOWN THE SLOPE. THE GROOVES CREATED BY THE CONSTRUCTION EQUIPMENT SHOULD RUN ACROSS THE SLOPE HORIZONTALLY AND NOT UP AND DOWN THE SLOPE. SLOPE SURFACES ARE TO BE ROUGHENED AS NECESSARY AND AFTER SEEDING AND MULCHING IS COMPLETED.
2. ALL EARTH STOCK PILES SHALL BE PROTECTED BY EROSION CONTROL MEASURE 4B AND MULCHED.
3. EROSION CHECKS SHALL BE INSTALLED AS INDICATED AND WHERE DESIGNATED ON THE DRAWINGS.
4. EROSION CHECKS SHALL REMAIN IN PLACE UNTIL PERMANENT EROSION CONTROL MEASURES HAVE BEEN ESTABLISHED AND ARE APPROVED BY THE ENGINEER.
5. EROSION CHECKS SHALL BE PERIODICALLY INSPECTED TO INSURE THEY ARE IN GOOD CONDITION AND THAT AN EXCESSIVE BUILD-UP OF SILT AND DEBRIS HAS NOT OCCURRED.
6. THE "VERMONT HANDBOOK FOR SOIL EROSION AND SEDIMENT CONTROL ON CONSTRUCTION SITES" WAS UTILIZED AS A GUIDE FOR THIS EROSION CONTROL PLAN. THE CONTRACTOR SHOULD BE FAMILIAR WITH THE STANDARDS AND SPECIFICATIONS IN THIS PUBLICATION.
7. ANY EROSION CONTROL MEASURES THAT WILL BE NECESSARY DURING THE WINTER CONSTRUCTION PERIOD (OCTOBER 15 TO MAY 10) SHOULD BE INSTALLED BEFORE THE GROUND FREEZES, AND FREQUENTLY INSPECTED AND MAINTAINED.



NOT FOR CONSTRUCTION

NOV 22 1995

N.B.F.
Nimitz, Berryhill, Figiel
ARCHITECTS P.C.
24 1/2 Cedar Street, Rutland, Vermont 05701

Steven J. Banik, P.E.
STRUCTURAL ENGINEER
Cuttingville, Vermont 05738

DuBois
skyring INC.
Highway Design
Site Engineering and
Mechanical and
Electrical Engineers

NORTHBOUND / SOUTHBOUND
WHITE RIVER JUNCTION
TRAVEL and INFORMATION CENTER
HARTFORD, VERMONT

EROSION CONTROL
AND
SITE DETAILS A

Proj. No. R12688
Drawn By: EBS
Checked By: [Signature]
Rev. No. 1
DATE: NOV. 1995

PRELIMINARY
ISSUED FOR

C14
DRAWING NUMBER