


CIRCLE AND DIAGONAL - RED (REFL.) SYMBOL AND BORDER - BLACK (NON - REFL.) BACKGROUND - WHITE (REFL.)

RS-1A


SIGN	DIMENSIONS (INCHES)												
	A	B	C	D	E	F	G	H	J	K	L	M	N
MIN. AND STD.	12	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4
EXPIRY.	36	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4
SPECIAL	48	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4



CIRCLE AND DIAGONAL - RED (REFL.) ARROW AND BORDER - BLACK (NON - REFL.) BACKGROUND - WHITE (REFL.)

RS-4


SIGN	DIMENSIONS (INCHES)												
	A	B	C	D	E	F	G	H	J	K	L	M	N
MIN. AND STD.	24	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4
EXPIRY.	36	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4
SPECIAL	48	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4




CIRCLE AND DIAGONAL - RED (REFL.) SYMBOL AND BORDER - BLACK (NON - REFL.) BACKGROUND - WHITE (REFL.)

RS-4A

SIGN	DIMENSIONS (INCHES)												
	A	B	C	D	E	F	G	H	J	K	L	M	N
MIN. AND STD.	24	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4
EXPIRY.	36	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4
SPECIAL	48	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4




CIRCLE AND DIAGONAL - RED (REFL.) SYMBOL AND BORDER - BLACK (NON - REFL.) BACKGROUND - WHITE (REFL.)



RS-1A




SIGN	DIMENSIONS (INCHES)												
	A	B	C	D	E	F	G	H	J	K	L	M	N
MIN. AND STD.	30	18	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4
EXPIRY.	36	24	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4
SPECIAL	42	30	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4



CIRCLE AND DIAGONAL - RED (REFL.) ARROW AND BORDER - BLACK (NON - REFL.) BACKGROUND - WHITE (REFL.)

RS-2


SIGN	DIMENSIONS (INCHES)												
	A	B	C	D	E	F	G	H	J	K	L	M	N
MIN. AND STD.	24	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4
EXPIRY.	36	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4
SPECIAL	48	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4



SYMBOL - RED (REFL.) LEGEND AND BACKGROUND - WHITE (REFL.) ENCAPSULATED LENS

RS-1

SIGN	DIMENSIONS (INCHES)												
	A	B	C	D	E	F	G	H	J	K	L	M	N
MIN. AND STD.	30	6 1/2	40	2	5	1 1/2	2 1/4	3 3/4	10	1 1/2	7 1/4	10	10
EXPIRY.	36	7 1/2	50	2 1/2	6	1 7/8	3	5	12	2 1/4	8 1/4	12	12
SPECIAL	48	8	60	3	8	2 1/4	3 1/2	7	15	3	10 1/4	15	15



REDUCE SPACING 40 %
LEGEND - WHITE (REFL.) BACKGROUND - RED (REFL.) ENCAPSULATED LENS

RS-2

SIGN	DIMENSIONS (INCHES)												
	A	B	C	D	E	F	G	H	J	K	L	M	N
MIN. AND STD.	24	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4
EXPIRY.	36	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4
SPECIAL	48	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4

- GENERAL:
1. ALL DIMENSIONS IN INCHES.
 2. SEE STANDARD E-144 FOR APPROVED DETAILS.

COLORS:

THE REGULATORY SIGNS SHOWN ON THIS SHEET SHALL HAVE BLACK TEXT ON REFLECTORIZED THE COLORS SHALL CONFORM WITH THE COLORS ADOPTED BY THE AMERICAN ASSOCIATION OF STATE HIGHWAY AND TRANSPORTATION OFFICIALS AND APPROVED BY THE DEPARTMENT OF TRANSPORTATION, FEDERAL HIGHWAY ADMINISTRATION.

MATERIALS:

THE SIGN BASE MATERIALS USED FOR REGULATORY SIGNS SHOWN ON THIS SHEET MAY BE ANY OF THE FOLLOWING OF THE MINIMUM THICKNESS NOTED.

FLAT SHEET ALUMINUM	0.100"	36"	X	24"
HIGH DENSITY OVERLAIN PLYWOOD	1/2"	30"	X	18"
GALVANIZED FLAT SHEET STEEL	18 GAGE	30"	X	30"
THE REFLECTIVE MATERIAL SHALL BE AASHTO TYPE II OR III WHITE REFLECTIVE SHEETING APPLIED TO THE ENTIRE BACKGROUND OF THE SIGN. THE BLACK PORTIONS OF THE SIGNS MAY BE LETTERING FILM, SILK SCREENED OR HAND PAINTED. HAND PAINTING OF SIGNS COMPAREABLE IN QUALITY TO THE RESULT OBTAINED BY SILK SCREENING. ENCAPSULATED LENS REFLECTIVE SHEETING SHALL BE USED FOR THE SIGN BACKGROUND WHERE NOTED.				

SPECIFICATIONS:

REGULATORY SIGNS SHALL MEET THE VERMONT STANDARD SPECIFICATIONS FOR TRAFFIC SIGNS.

TEXT DESIGN:

LETTERS, DIGITS, ARROWS, SPACING AND TEXT DIMENSIONS SHALL CONFORM WITH THE STANDARD ALPHABET FOR HIGHWAY SIGNS AND PAVEMENT MARKINGS AND DESIGN PRESCRIBED IN THE STANDARD FOR HIGHWAY SIGNS AS SPECIFIED IN THE MANUAL ON UNIFORM TRAFFIC CONTROL DEVICES.

OTHER STD.: E-144
REQUIRED

REGULATORY SIGN

DETAILS

APPROVED

Director of Engineering

Traffic and Safety Engineer

REVISIONS AND CORRECTIONS

OCT. 30, 1987 - DATE OF ORIGINAL ISSUE
SEPT. 20, 1995 - ADDED AND DELETED SIGN DETAILS,
ADDED SIGN ID NUMBERS, MINOR NOTE
REVISIONS.

APPROVED FOR THIS PROJECT
AND/OR DESIGN IMPLEMENTATION,
FINAL FINAL APPROVAL PERIOD.



STANDARD
E-143