



STATE OF VERMONT
 AGENCY OF TRANSPORTATION
 MATERIALS & RESEARCH SECTION
 SUBSURFACE INFORMATION

BORING NUMBER: B-203
 SHEET 1 of 1
 DATE STARTED: 11/03/08
 DATE COMPLETED: 11/04/08

PROJECT NAME: RANDOLPH
 SITE NAME: RANDOLPH PARK & RIDE
 STATION: 22+44
 OFFSET: -178.80
 VTSPG: N 526931.40 ft E 1608933.28 ft

PROJECT NUMBER: RSCH012-705
 SITE NUMBER: VT-66
 GROUND ELEVATION: 1180.9 ft
 GROUNDWATER DEPTH: 7.4 ft 11/04/08
 PROJECT PIN NUMBER: 00K130

BORING CREW
 CREW CHIEF: GARROW
 DRILLER: GARROW
 LOGGER: ELIASSEN

BORING RIG: LAG TRACK RIG #09 w/AUTO HAMMER
 BORING TYPE: HOLLOW STEM AUGER
 SAMPLE TYPE: AUGER
 CHECKED BY: TDE

DEPTH (ft)	SYMBOL	CLASSIFICATION OF MATERIALS (Description)	WELL DIAGRAM	BLOWS PER FOOT	M.C. (%)	GRAVEL (%)	SAND (%)	FINES (%)
Top of Well Elevation: 1180.64 ft								
		A-4, SaSi, Dk/brn, Moist, Rec. = 1.6 ft		4	18.6	17.1	36.1	46.8
		A-4, GrSaSi, Dk/brn, Moist, Rec. = 1.6 ft		10	17.1	21.3	23.6	55.1
5		A-4, SaSi, Dk/brn, Moist, Rec. = 1.5 ft		4	21.2	6.2	22.8	71.0
		A-4, SaSi, Dk/brn, MTW, Rec. = 1.8 ft		5	20.9	8.5	22.9	68.6
		A-4, SaSi mottled, gry, Moist, Rec. = 1.8 ft		10	18.6	10.9	20.5	68.6
10		A-4, SaSi, gry, Moist, Rec. = 2.0 ft		9	18.5	12.7	20.9	66.4
		No Recovery, Rec. = 0.0 ft, 12.0 ft - 14.0 ft		12				
15		A-4, SaSi, gry, Moist, Rec. = 1.5 ft		9	18.8	12.0	22.4	65.6
		A-4, Si, gry, Moist, Rec. = 1.5 ft		6	15.7	15.5	18.4	66.1
		A-4, SaSi, gray, Moist, Rec. = 1.2 ft		R	16.6	8.6	20.3	71.1
20		Hole stopped @ 19.0 ft						
		DRILLER'S NOTES: 1. Monitoring well was installed. 2. There is 15.0 ft. of screen casing in ground. 3. There is 4.0 ft. of solid casing in ground. 4. There is 0 ft. of solid casing above ground.						
25								

LOG OF BORING RANDOLPH C&G PARK(21).GPJ VT_AOT.GDT 2/13/09