



STATE OF VERMONT  
 AGENCY OF TRANSPORTATION  
 MATERIALS & RESEARCH SECTION  
 SUBSURFACE INFORMATION

BORING LOG

**MONTGOMERY-WESTFIELD**  
**STP 2906(1)**  
**VT 242 MM 0.87 & 2.07**

Boring No.: B-203  
 Page No.: 1 of 1  
 Pin No.: 10C190  
 Checked By: CCB

Boring Crew: JUDKINS, SALISBURY  
 Date Started: 4/19/13 Date Finished: 4/19/13  
 VTSPG NAD83: N 868539.27 ft E 1621952.49 ft  
 Station: 107+92 Offset: -28.90  
 Ground Elevation: 930.17 ft

Casing WB Sampler SS  
 I.D.: 4 in 1.5 in  
 Hammer Wt: N.A. 140 lb.  
 Hammer Fall: N.A. 30 in.  
 Hammer/Rod Type: Auto/AWJ  
 Rig: CME 55 TRACK C<sub>s</sub> = 1.46

Groundwater Observations		
Date	Depth (ft)	Notes
04/19/13	3.0	During drilling

Depth (ft)	Strata (1)	CLASSIFICATION OF MATERIALS (Description)	Blows/6" (N Value)	Moisture Content %	Gravel %	Sand %	Fines %
2.5		Visual Description:, SiGrSa , Organics, Dk/brn, Moist, Rec. = 1.0 ft	2-3-4-4 (7)	7.9			
5.0		A-1-b, SiSaGr , Broken Rock, gry-brn, Moist, Rec. = 0.9 ft	16-12-39-12 (51)	11.1	52.3	27.0	20.7
10.0		A-4, SaSi, brn-gry, Moist, Rec. = 0.9 ft	32-29-13-13 (42)	14.9	19.9	39.0	41.1
15.0		Visual Description:, GrSaSi, gray, Moist, Rec. = 0.2 ft Hole stopped @ 15.2 ft	R@2" (R@2")	10.2			

Remarks:  
 1. Hole caved in at 8.8 ft when removing casing.  
 2. Ground surface elevation, station, and offset shown are estimated from plans.

BORING LOG 2 MONTGOMERY-WESTFIELD STP 2906(1).GPJ VERMONT AOT.GDT 4/29/13

Notes:  
 1. Stratification lines represent approximate boundary between material types. Transition may be gradual.  
 2. N Values have not been corrected for hammer energy. C<sub>s</sub> is the hammer energy correction factor.  
 3. Water level readings have been made at times and under conditions stated. Fluctuations may occur due to other factors than those present at the time measurements were made.