



STATE OF VERMONT
 AGENCY OF TRANSPORTATION
 MATERIALS & RESEARCH SECTION
 SUBSURFACE INFORMATION

BORING LOG


COLCHESTER
 HES NH 5600(14)
 US2 & US7

Boring No.: B-120
 Page No.: 1 of 1
 Pin No.: 12D046
 Checked By: TDE

Boring Crew: PORTER, GARROW, SALISBURY
 Date Started: 7/24/12 Date Finished: 7/24/12
 VTSPG NAD83: N 732336.34 ft E 1462835.75 ft
 Station: 17+10 Offset: -43.00
 Ground Elevation: 346.79 ft

Casing AUGER Sampler AUGER
 Type: AUGER AUGER
 I.D.: _____
 Hammer Wt: N.A. N.A.
 Hammer Fall: N.A. N.A.
 Hammer/Rod Type: _____
 Rig: CME 45C TRACK CE =

Groundwater Observations		
Date	Depth (ft)	Notes

Depth (ft)	Strata (1)	CLASSIFICATION OF MATERIALS (Description)	Blows/6" (N Value)	Moisture Content %	Gravel %	Sand %	Fines %
		Field Note: Asphalt Pavement Visual Description: Gr with 1-3" stones		0.7			
5		A-1-b, GrSa, brn, Moist		4.7	35.8	54.2	10.0
		Hole stopped @ 5.5 ft CNPf-TLOB					
10							
15							
20							
25							

BORING LOG 2 COLCHESTER HES NH 5600(14).GPJ VERMONT AOT.GDT 9/11/12

Notes: 1. Stratification lines represent approximate boundary between material types. Transition may be gradual.
 2. N Values have not been corrected for hammer energy. CE is the hammer energy correction factor.
 3. Water level readings have been made at times and under conditions stated. Fluctuations of groundwater may occur due to other factors than those present at the time measurements were made.