



STATE OF VERMONT  
 AGENCY OF TRANSPORTATION  
 MATERIALS & RESEARCH SECTION  
 SUBSURFACE INFORMATION

BORING LOG

Huntington BRO 1445(35)

Boring No.: TP-2  
 Page No.: 1 of 1  
 Pin No.: 12j162  
 Checked By: ASP

Boring Crew: New Hampshire Boring, Derry, NH, CBR  
 Date Started: 11/15/13 Date Finished: 11/15/13  
 VTSPG NAD83: N 1527565.83 ft E 655455.38 ft  
 Station: 4+11.50 Offset: 37.40R  
 Ground Elevation: 1080.5 ft

Type: \_\_\_\_\_  
 I.D.: \_\_\_\_\_  
 Hammer Wt: N.A. N.A.  
 Hammer Fall: N.A. N.A.  
 Hammer/Rod Type: \_\_\_\_\_  
 Rig: Hand dug CE =

Casing Sampler

Groundwater Observations

Date	Depth (ft)	Notes
11/15/13		None observed

Depth (ft)	Strata (t)	CLASSIFICATION OF MATERIALS (Description)	Blows/6" (N Value)	Moisture Content %	Gravel %	Sand %	Fines %
0.0 - 0.5		0.0 ft - 0.5 ft, 6-inches topsoil, organics, moist, brown A-4, SiSaGr, brn					
0.5 - 4.0		A-4, SiSaGr, gray, Moist, weathered bedrock					
4.0 - 5.0		Hole stopped @ 4.0 ft					
5.0 - 30.0		Remarks: Hand dug by New Hampshire Boring. Metal rod probed throughout approximate 10-foot radius around TP-2, rod hit probable bedrock at approximately 4 feet. Elevations are approximate.					

Top of Bedrock @ 4.0 ft

Notes:

1. Stratification lines represent approximate boundary between material types. Transition may be gradual.
2. N Values have not been corrected for hammer energy. CE is the hammer energy correction factor. CE is an estimated value.
3. Water level readings have been made at times and under conditions stated. Fluctuations of groundwater may occur due to other factors than those present at the time measurements were made.
4. Ground surface elevations indicated on the boring logs were estimated based on the grading plan provided by VAOT.

2010 COPY J1135159.GPJ VERMONT AOT.GDT 3/21/14