



STATE OF VERMONT
 AGENCY OF TRANSPORTATION
 CONSTRUCTION AND
 MATERIALS BUREAU
 CENTRAL LABORATORY

BORING LOG

Poultney
BF0138(12)
SNR140 (TH-2) Br. #2

Boring No.: P-102
 Page No.: 1 of 1
 Pin No.: 13j276
 Checked By: MLM

Boring Crew: Judkins, Nieto, Garrow
 Date Started: 5/31/16 Date Finished: 5/31/16
 VTSPG NAD83: N 375606.81 ft E 1456503.17 ft
 Station: 114+50 Offset: 5.50
 Ground Elevation: 536.1 ft

Casing WB Sampler SS
 I.D.: 4 in 1.5 in
 Hammer Wt: N.A. 140 lb.
 Hammer Fall: N.A. 30 in.
 Hammer/Rod Type: Auto/AWJ
 Rig: CME 45C SKID C_s = 1.42

Groundwater Observations		
Date	Depth (ft)	Notes
05/31/16	7.4	W.T. after drilling

Depth (ft)	Strata (1)	CLASSIFICATION OF MATERIALS (Description)	Blows/6" (N Value)	Moisture Content %	Gravel %	Sand %	Fines %
0.0 - 1.3		Asphalt Pavement, 0.0 ft - 1.3 ft					
2.5							
7.5		Field Note:, Cleaned out casing					
10.0		Field Note:, Cleaned out casing					
11.3		Field Note:, Cobble Rock					
12.5		Hole stopped @ 11.3 ft					
12.5		Remarks: 1.) Washbore refusal at TLOB at 11.3 feet. 2.) Hole collapsed at 9.1 feet.					

Notes:
 1. Stratification lines represent approximate boundary between material types. Transition may be gradual.
 2. N Values have not been corrected for hammer energy. C is the hammer energy correction factor.
 3. Water level readings have been made at times and under conditions stated. Fluctuations may occur due to other factors than those present at the time measurements were made.

BORING LOG 2 POULTNEY BF0138(12).GPJ VERMONT AOT.GDT 6/24/16