



STATE OF VERMONT
 AGENCY OF TRANSPORTATION
 CONSTRUCTION AND
 MATERIALS BUREAU
 CENTRAL LABORATORY

BORING LOG

**Poultney
 BF0138(12)
 SNR140 (TH-2) Br. #2**

Boring No.: **P-112**
 Page No.: 1 of 1
 Pin No.: 13j276
 Checked By: MLM

Boring Crew: Garrow, Judkins, Coletti
 Date Started: 6/14/16 Date Finished: 6/14/16
 VTSPG NAD83: N 375582.53 ft E 1456556.13 ft
 Station: 115+09 Offset: 5.40
 Ground Elevation: 535.4 ft

Type: _____
 I.D.: 4 in
 Hammer Wt: N.A.
 Hammer Fall: N.A.
 Hammer/Rod Type: Auto/AWJ
 Rig: CME 45C SKID
 Casing: WB
 Sampler: SS
1.5 in
140 lb.
30 in.
Auto/AWJ
C = 1.42

Groundwater Observations		
Date	Depth (ft)	Notes
06/14/16	8.8	W.T. after drilling

Depth (ft)	Strata (1)	CLASSIFICATION OF MATERIALS (Description)	Blows/6" (N Value)	Moisture Content %	Gravel %	Sand %	Fines %
0.0 - 1.2		Asphalt Pavement, 0.0 ft - 1.2 ft					
5							
10							
15							
20							
22.5		Field Note:, NXDC, Cleaned out casing, Cobbles and Boulder					
25							
30		Hole stopped @ 28.5 ft					
		Remarks: 1.) Washbore refusal at TLOB at 28.5 feet. 2.) Hole collapsed at 18.8 feet.					

Notes:
 1. Stratification lines represent approximate boundary between material types. Transition may be gradual.
 2. N Values have not been corrected for hammer energy. C is the hammer energy correction factor.
 3. Water level readings have been made at times and under conditions stated. Fluctuations may occur due to other factors than those present at the time measurements were made.

BORING LOG 2 POULTNEY BF0138(12).GPJ VERMONT AOT.GDT 6/24/16