


MS # 308



US 7 NORTH

- CONTROL BOX
- LOOP DETECTION
- PULL BOX
- LUMINAIRE
- STANCHION
- = LEFT TURN YIELD ON GREEN
- = LEFT TURN ONLY



ONLY




C



8



8



2



2



D



5


4




4



ONLY




COLD RIVER RD



PB



ONLY




US 7 SOUTH

NOT TO SCALE

VALVOLINE

MS # 308



US 7 NORTH

12'

12'

11'

12'

12'

LANE LINE 75'

ONLY



STOP BAR 35'

VALVOLINE

11'

CROSSWALK 34'

STOP BAR 16'

16'

STOP BAR 24'



ONLY

LANE LINE 150'



11'

CROSSWALK 64'

12'

COLD RIVER RD

STOP BAR 35'



ONLY

LANE LINE 50'

12'

12'










11'


12'

12'


US 7 SOUTH

NOT TO SCALE

<p style="text-align: center;">D I A G R A M</p> 				
<p style="text-align: center;">T I M I N G</p>	<p>G = Y =</p>	<p>G = Y =</p>	<p>G = Y =</p>	<p>G = Y =</p>
<p style="text-align: center;">D I A G R A M</p>				
<p style="text-align: center;">T I M I N G</p>	<p>G = Y =</p>	<p>G = Y =</p>	<p>G = Y =</p>	<p>G = Y =</p>



PROTECTED  
TURNS



PERMITTED  
TURNS  
PEDESTRIAN

CYCLE LENGTH, C = \_\_\_\_\_ S



PROPERTY OF:  
VT. AGENCY OF TRANS.  
MAINTENANCE DIV.

IN EMERGENCY CALL:  
DIST. TRANS. OFFICE

NIGHTS & WEEKENDS:

SOUTH MAIN ST. & GOLD RIVER RD.  
S/N-41432-1

TURNED ON 6-15-00

**WARNING**

DO NOT OPERATE  
CABINET WITHOUT  
CONFLICT MONITOR UNIT

**DANGER**

115 VOLTS A.C.

Control panel with two toggle switches labeled 'MAN ON' and 'OFF', and 'AUTO' and 'OFF'. Includes a 'CONFLICT MONITOR UNIT' label and a '115 VOLTS A.C.' warning label.

Terminal block with multiple screw terminals and associated wiring.

Clear plastic enclosure containing a printed document with technical specifications and a small green printed circuit board (PCB).

12x16x1/2 inch metal mesh filter or screen mounted in a frame.



SOUTH MAIN ST. & COLD RIVER RD.  
S/N-41432-1

# WARNING

DO NOT OPERATE  
CABINET WITHOUT  
CONFLICT MONITOR UNIT

# DANGER

115 VOLTS A.C.




50/00 OK X

DETECTORS








DETECTORS



CONFLICT MONITOR







← 2240 TO 3147

COLD RIVER RD

SAFETY  
UNDERCAR SPECIALISTS





SELF STORAGE ROOMS

U-HAUL

U-HAUL

U-HAUL

ONLY

ONLY

ONLY

U-HAUL  
1800-800-7000  
www.uhaul.com

U-HAUL

RIGHT EQUIPMENT

RIGHT EQUIPMENT

Fuel Saver Chassis

UNDER 14,000 GROSS

UNDER 14,000 GROSS











UHAUL

SELF-STORAGE  
RIGHT EQUIPMENT  
LOWEST COST  
WONT BE BEAT  
OPEN 7 DAYS











10751130  
43K59130A





STOP  
HERE ON  
RED  
←

U-HAUL

INTERIOR  
CLEANING  
EVERY DAY

SAFETY OFFLER & BRAKE

FedEx

UPS  
SELF-STORAGE UNITS  
UPS 846

U-HAUL  
\$19.99  
U-HAUL  
U-HAUL  
U-HAUL  
U-HAUL  
U-HAUL  
U-HAUL



STOP  
HERE ON  
RED  
←



**Valvoline**  
*Instant Oil Change*



**Rutland Motorcars**  
*Specializing in fine automobiles*

Sales • Service • Parts  
AUDI     VOLVO VW  
802.747.7172

Changing  
Transmission  
Fluid

ENTER





8.63 IN28  
48K S136



Valvoline  
Authorized Oil Change  
Wash Wax Seal  
Auto Service - Parts  
8:00am - 5:00pm  
800-347-7177

U-HAUL STORAGE ROOMS

HITCHES  
Cold & Weather  
COLD TIRES &  
EVERY DAY

LEFT TURN ONLY



LEFT TURN  
YIELD  
ON GREEN



STATE HIGHWAY ENDS

SPEED LIMIT 35

IRVING

IRVING

CAR WASH

U-HAUL

U-HAUL

U-HAUL

U-HAUL

U-HAUL

U-HAUL

U-HAUL

U-HAUL

U-HAUL

HITCHES



3147 TO 2240 ->  
COLD RIVER RD

U-HAUL

ROOMS

HITCHES  
Sold & Installed  
EVERY DAY  
OPEN 7 DAYS

U-HAUL  
LOWEST COST

U-HAUL  
LOWEST COST

U-HAUL

U-HAUL

LEGAL LOAD  
AS FOR  
STATE  
HIGHWAYS

SELF  
STORAGE



27751N30  
845136A





Coordination Patterns

-----

Pattern 2  
 Cycle Length . . . 110 COS . . . . . 111  
 Offset . . . . . 48  
 Vehicle Permissive . . [1] 10 [2] 0  
 Vehicle Perm 2 Displacement 0 Phase Reservice. . NO  
 Splits: Phase 1- 0 2- 74 3- 0 4- 24  
           Phase 5- 12 6- 74 7- 0 8- 24  
           Phase 9- 0 10- 0 11- 0 12- 0 Split Sum: 0  
 Split Extension/Ring [1] 0 [2] 0  
 Split Demand Pattern [1] 0 [2] 0  
 XRT Pattern. . . 0  
   Phase Number: 1 2 3 4 5 6 7 8 9 10 11 12  
 Coord Phases . . . X . . . X . . . . .  
 Veh Recall . . . . .  
 Veh Max Recall . . . . .  
 Ped Recall . . . . .  
 Veh Omit . . . . .  
 Alt Sequence . . A: . B: . C: . D: . E: . F: .

-----

Pattern 3  
 Cycle Length . . . 90 COS . . . . . 222  
 Offset . . . . . 4  
 Vehicle Permissive . . [1] 10 [2] 0  
 Vehicle Perm 2 Displacement 0 Phase Reservice. . NO  
 Splits: Phase 1- 0 2- 70 3- 0 4- 20  
           Phase 5- 17 6- 53 7- 0 8- 20  
           Phase 9- 0 10- 0 11- 0 12- 0 Split Sum: 0  
 Split Extension/Ring [1] 0 [2] 0  
 Split Demand Pattern [1] 0 [2] 0  
 XRT Pattern. . . 0  
   Phase Number: 1 2 3 4 5 6 7 8 9 10 11 12  
 Coord Phases . . . X . . . X . . . . .  
 Veh Recall . . . . .  
 Veh Max Recall . . . . .  
 Ped Recall . . . . .  
 Veh Omit . . . . .  
 Alt Sequence . . A: . B: . C: . D: . E: . F: .

-----

Pattern 4  
 Cycle Length . . . 120 COS . . . . . 333  
 Offset . . . . . 40  
 Vehicle Permissive . . [1] 10 [2] 0  
 Vehicle Perm 2 Displacement 0 Phase Reservice. . NO  
 Splits: Phase 1- 0 2- 68 3- 0 4- 34  
           Phase 5- 19 6- 67 7- 0 8- 34  
           Phase 9- 0 10- 0 11- 0 12- 0 Split Sum: 0  
 Split Extension/Ring [1] 0 [2] 0  
 Split Demand Pattern [1] 0 [2] 0  
 XRT Pattern. . . 0  
   Phase Number: 1 2 3 4 5 6 7 8 9 10 11 12  
 Coord Phases . . . X . . . X . . . . .  
 Veh Recall . . . . .  
 Veh Max Recall . . . . .  
 Ped Recall . . . . .  
 Veh Omit . . . . .  
 Alt Sequence . . A: . B: . C: . D: . E: . F: .

-----



NIC Program Steps

---

Step	Program	Step Begins	Pattern	Override
1	1	0000	1	NO
2	1	0600	3	NO
3	1	0900	2	NO
4	1	1530	4	NO
5	1	1800	2	NO

TOD Program Steps

-----  
 Step 1            Program 1            Step Begins    0000

Flash. . . . . X            Dimming Enable. . . . .  
 Red Rest . . . . .            Alt Veh Extension . . . . .  
 Spare 5. . . . .            Det Log Enable. . . . .  
 Spare 3. . . . .            Spare 4 . . . . .  
 Type 0 Dly Enable. . . . . Spare 2 . . . . .  
 Det Diag Plan. . . . . 0

Phase Number

	1	2	3	4	5	6	7	8	9	10	11	12
Max 2 Enable . . . . .	.	.	.	.	.	.	.	.	.	.	.	.
Max 3 Enable . . . . .	.	.	.	.	.	.	.	.	.	.	.	.
Veh Recall . . . . .	.	.	.	.	.	.	.	.	.	.	.	.
Veh Max Recall . . . . .	.	.	.	.	.	.	.	.	.	.	.	.
Ped Recall . . . . .	.	.	.	.	.	.	.	.	.	.	.	.
Cond Service Inhibit. . . . .	.	.	.	.	.	.	.	.	.	.	.	.
Phase Omit . . . . .	.	.	.	.	.	.	.	.	.	.	.	.
Special Function . . . . .	.	.	.	.	.	.	.	.	.	.	.	.

Alt Sequence . . . . .            A    B    C    D    E    F

-----  
 Step 2            Program 1            Step Begins    0600

Flash. . . . .            Dimming Enable. . . . .  
 Red Rest . . . . .            Alt Veh Extension . . . . .  
 Spare 5. . . . .            Det Log Enable. . . . .  
 Spare 3. . . . .            Spare 4 . . . . .  
 Type 0 Dly Enable. . . . . Spare 2 . . . . .  
 Det Diag Plan. . . . . 0

Phase Number

	1	2	3	4	5	6	7	8	9	10	11	12
Max 2 Enable . . . . .	.	X	.	X	X	X	.	X	.	.	.	.
Max 3 Enable . . . . .	.	.	.	.	.	.	.	.	.	.	.	.
Veh Recall . . . . .	.	.	.	.	.	.	.	.	.	.	.	.
Veh Max Recall . . . . .	.	.	.	.	.	.	.	.	.	.	.	.
Ped Recall . . . . .	.	.	.	.	.	.	.	.	.	.	.	.
Cond Service Inhibit. . . . .	.	.	.	.	.	.	.	.	.	.	.	.
Phase Omit . . . . .	.	.	.	.	.	.	.	.	.	.	.	.
Special Function . . . . .	.	.	.	.	.	.	.	.	.	.	.	.

Alt Sequence . . . . .            A    B    C    D    E    F

-----

TOD Program Steps

-----  
 Step 3            Program 1            Step Begins    0900

Flash. . . . . Dimming Enable. . . . .  
 Red Rest . . . . . Alt Veh Extension . . . . .  
 Spare 5. . . . . Det Log Enable. . . . .  
 Spare 3. . . . . Spare 4 . . . . .  
 Type 0 Dly Enable. . . Spare 2 . . . . .  
 Det Diag Plan. . . . 0

Phase Number

	1	2	3	4	5	6	7	8	9	10	11	12
Max 2 Enable . . . . .	.	.	.	.	.	.	.	.	.	.	.	.
Max 3 Enable . . . . .	.	.	.	.	.	.	.	.	.	.	.	.
Veh Recall . . . . .	.	.	.	.	.	.	.	.	.	.	.	.
Veh Max Recall . . . . .	.	.	.	.	.	.	.	.	.	.	.	.
Ped Recall . . . . .	.	.	.	.	.	.	.	.	.	.	.	.
Cond Service Inhibit. . . . .	.	.	.	.	.	.	.	.	.	.	.	.
Phase Omit . . . . .	.	.	.	.	.	.	.	.	.	.	.	.
Special Function . . . . .	.	.	.	.	.	.	.	.	.	.	.	.

Alt Sequence . . . . . A    B    C    D    E    F  
 -----

Step 4            Program 1            Step Begins    1530

Flash. . . . . Dimming Enable. . . . .  
 Red Rest . . . . . Alt Veh Extension . . . . .  
 Spare 5. . . . . Det Log Enable. . . . .  
 Spare 3. . . . . Spare 4 . . . . .  
 Type 0 Dly Enable. . . Spare 2 . . . . .  
 Det Diag Plan. . . . 0

Phase Number

	1	2	3	4	5	6	7	8	9	10	11	12
Max 2 Enable . . . . .	.	.	.	.	.	.	.	.	.	.	.	.
Max 3 Enable . . . . .	.	X	.	X	X	X	.	X	.	.	.	.
Veh Recall . . . . .	.	.	.	.	.	.	.	.	.	.	.	.
Veh Max Recall . . . . .	.	.	.	.	.	.	.	.	.	.	.	.
Ped Recall . . . . .	.	.	.	.	.	.	.	.	.	.	.	.
Cond Service Inhibit. . . . .	.	.	.	.	.	.	.	.	.	.	.	.
Phase Omit . . . . .	.	.	.	.	.	.	.	.	.	.	.	.
Special Function . . . . .	.	.	.	.	.	.	.	.	.	.	.	.

Alt Sequence . . . . . A    B    C    D    E    F  
 -----

TOD Program Steps

-----

Step 5            Program 1            Step Begins    1800

Flash. . . . .	.	Dimming Enable. . . . .
Red Rest . . . . .	.	Alt Veh Extension . . . . .
Spare 5. . . . .	.	Det Log Enable. . . . .
Spare 3. . . . .	.	Spare 4 . . . . .
Type 0 Dly Enable. . . . .	.	Spare 2 . . . . .
Det Diag Plan. . . . .	0	

	Phase Number											
	1	2	3	4	5	6	7	8	9	10	11	12
Max 2 Enable . . . . .	.	.	.	.	.	.	.	.	.	.	.	.
Max 3 Enable . . . . .	.	.	.	.	.	.	.	.	.	.	.	.
Veh Recall . . . . .	.	.	.	.	.	.	.	.	.	.	.	.
Veh Max Recall . . . . .	.	.	.	.	.	.	.	.	.	.	.	.
Ped Recall . . . . .	.	.	.	.	.	.	.	.	.	.	.	.
Cond Service Inhibit. . . . .	.	.	.	.	.	.	.	.	.	.	.	.
Phase Omit . . . . .	.	.	.	.	.	.	.	.	.	.	.	.
Special Function . . . . .	.	.	.	.	.	.	.	.	.	.	.	.

Alt Sequence . . . . .	A	B	C	D	E	F
------------------------	---	---	---	---	---	---

-----