

TOD Program Steps

Step 3 Program 1 Step Begins 0900

Flash. . . . . Dimming Enable. . . . .
Red Rest . . . . . Alt Veh Extension . . . . .
Spare 5. . . . . Det Log Enable. . . . .
Spare 3. . . . . Spare 4 . . . . .
Type 0 Dly Enable. . . Spare 2 . . . . .
Det Diag Plan. . . . 0

Table with 12 columns (Phase Number 1-12) and rows for Max 2 Enable, Max 3 Enable, Veh Recall, Veh Max Recall, Ped Recall, Cond Service Inhibit, Phase Omit, and Special Function.

Alt Sequence . . . . . A B C D E F

Step 4 Program 1 Step Begins 1530

Flash. . . . . Dimming Enable. . . . .
Red Rest . . . . . Alt Veh Extension . . . . .
Spare 5. . . . . Det Log Enable. . . . .
Spare 3. . . . . Spare 4 . . . . .
Type 0 Dly Enable. . . Spare 2 . . . . .
Det Diag Plan. . . . 0

Table with 12 columns (Phase Number 1-12) and rows for Max 2 Enable, Max 3 Enable, Veh Recall, Veh Max Recall, Ped Recall, Cond Service Inhibit, Phase Omit, and Special Function.

Alt Sequence . . . . . A B C D E F