





MS # 702




US 5 NORTH



PRIVATE DRIVE




GREEN MTN MALL



US 5 SOUTH

NOT TO SCALE

MS # 702



US 5 NORTH

12'

12'

13'

LANE LINE 145'

STOP BAR 24'

PRIVATE DRIVE

STOP BAR 24'

LANE LINE 75'

11'

11'

GREEN MTN MALL

STOP BAR 24'

LANE LINE 140'



12'

11'

US 5 SOUTH

NOT TO SCALE

<p style="text-align: center;">D I A G R A M</p> <p style="text-align: center;">N ↑</p>				
<p style="text-align: center;">T I M I N G</p>	<p>G = Y =</p>	<p>G = Y =</p>	<p>G = Y =</p>	<p>G = Y =</p>
<p style="text-align: center;">D I A G R A M</p>				
<p style="text-align: center;">T I M I N G</p>	<p>G = Y =</p>	<p>G = Y =</p>	<p>G = Y =</p>	<p>G = Y =</p>



CYCLE LENGTH, C = _____ S



PROPERTY OF
VT. AGENCY OF TRANS.
MAINTENANCE DIV.
IN EMERGENCY CALL
DIST. TRANS. OFFICE
NIGHT & WEEKENDS [redacted]
INTERSECTION NO. [redacted]

PROPERTY OF
VT. AGENCY OF TRANS.
MAINTENANCE DIV.

IN EMERGENCY CALL:
DIST. TRANS. OFFICE

748-6670

NIGHT & WEEKENDS: 748-3111

INTERSECTION NO. MS 702

CONTROL ON
CONTROL OFF
AUTO FLASH
STOP TUNING AUTO OFF
STOP TUNING ON

WARNING
DO NOT OPERATE
CABINET WITHOUT
CMU / MMU

DANGER
115 VOLTS A.C.

SECONOLITE

Turned On
4-11-02

120 53171

- oops
- 1 - 1RED
- 2A - Yellow
- 2B - Orange
- 4A - 2 Brown
- 4B - 1 Brown
- 6 - 2RED



BUS INTERFACE UNIT

POWER ON
TRANSMIT
VALID DATA

M 622 M 622 M 622

ECONOLITE

CABINET POWER SUPPLY

LINE BRIDGE REFERENCE

+12 VDC
2.5 AMP
SLO-BLO

+24 VDC
2.5 AMP
SLO-BLO

+24 VDC

ECONOLITE

F1 MAIN MENU F2 NEXT SCREEN
F3 SUB MENU F4 NEXT DATA
F5 DISPLAY ADJUST F6 NEXT PAGE
F7 STATUS DISPLAY F8 HELP

← CURSOR →

1 2 3
4 5 6
7 8 9
ENTER

TOGGLE
SPEC FUNC 0 CLEAR

ECONOLITE
CONTROL PRODUCTS, INC.

DEP ACU

PORT 1 PORT 2

SDLC TERM

D C B A

115VAC 1 AMP
+24 VDC
2.5 AMP
SLO-BLO

ASC/2S-2100

CONFLICT
RED FAIL
CUMUL IND
24V-14
24V-2
CLEARANCE FAIL
N/R CLEARANCE
DUAL INDICATION
PORT 1 FAIL
FIELD CHECK FAIL
LOCAL FLASH
DIAGNOSTIC
PGM CARD / CP
TYPE 12
POWER

OPTIONS
RECEIVE
TRANSMIT

ECONOLITE
CONTROL PRODUCTS, INC.

MMU-18E

CONTROLLER

BUS INTERFACE UNIT

- POWER ON
- TRANSMIT
- VALID DATA

M 622

ECONOLITE

SENS: 10-NI, 10-NC, 0-OFF; FREQ: 3-LO, 2-MID, 1-HI, 0-OFF

M 622

ECONOLITE

SENS: 10-NI, 10-NC, 0-OFF; FREQ: 3-LO, 2-MID, 1-HI, 0-OFF

M 622

ECONOLITE

SENS: 10-NI, 10-NC, 0-OFF; FREQ: 3-LO, 2-MID, 1-HI, 0-OFF

POWER

LINE FREQ. REFERENCE

- +12 VDC 2.5 AMP SLO-BLO
- +24 VDC 2.5 AMP SLO-BLO
- 0 VDC 2.5 AMP SLO-BLO
- 115 VAC 1.5 AMP SLO-BLO

LM 622

SENS: 10-NI, 10-NC, 0-OFF; FREQ: 3-LO, 2-MID, 1-HI, 0-OFF

2010 1 11 00:00

STATUS DISPLAY

PHASE: 1 2 3 4 5 6 7 8 9 0 1 2

2 RECALL MAX1 9 VEL PER

6 RECALL MAX1 25

CMD SRC HDW FREE

SYS DVC 0% TLM ERR

SYS DVC 0%

PRIORITY: 1 2 3 4 5 6

BUS: 1 2 3

NO STEP

STEP 2

4/12 13:02:03

F1 MAIN MENU

F2 NEXT SCREEN

F3 SUB MENU

F4 NEXT DATA

F5 DISPLAY ADJUST

F6 NEXT PAGE

F7 STATUS DISPLAY

F8 HELP

CURSOR

1 2 3

4 5 6


7 8 9


ENTER

TOGGLE

SPEC FUNC 0 CLEAR

CONTROLLER





⚡ DANGER
HAZARD OF ELECTRICAL SHOCK
OR BURN IF COVER REMOVED.
SERVICE BY UTILITY
AUTHORIZED PERSONNEL ONLY.
DO NOT PAINT COVER OR REMOVE THIS LABEL.
DUNCAN MFG. CO. REV. 1

75
YEARS
Milbank Mfg. Co.

R_r 13 3/8
KILOWATT HOURS

DUNCAN

200 CL FORM 2S TYPE MS
240V TA 30
3W Kh 7.2 60 HZ

16 487 450

WARNING: CRIMINAL PROSECUTION
DO NOT TAMPER WITH METER OR
ITS CONNECTIONS UNDER
PENALTY OF LAW.
Select a Replacement of Size

SING METER

DO NOT REMOVE UNDER FLAP
AND LIFT IN BOX
DO NOT BREAK SEAL



⚡ DANGER
HAZARD OF ELECTRICAL SHOCK
OR BURN IF COVER REMOVED.
SERVICE BY UTILITY
AUTHORIZED PERSONNEL ONLY.
DO NOT PAINT COVER OR REMOVE THIS LABEL.
DUNCAN MFG. CO. REV. 1



Green Mountain
MALL
1000 Green Mountain Road
Green Mountain, VT 05141

SPEED
LIMIT
35

LEFT
TURN
ONLY



Green Mountain
MALL

WALDEN
WALDEN
WALDEN
WALDEN
WALDEN

WALDEN
WALDEN



tain
on Shops

ENTER

EASY SET
POOL

LEFT TURN
YIELD
ON GREEN

LEFT TURN
YIELD
ON GREEN



Farm Country
Insurance
www.farmcountry.net







UMC 11702
POLE LENGTH 29'0"
DIA. 12"
GA. 3GA.
55KSI



Green Mountain
MALL

GEORGE'S

RadioShack

SEARS

ROAD WORK
AHEAD



Green Mountain
MA L
Mall





Green
M
Where

EXIT

5000 #10
at 99¢

Worker

Car



Green Mountain
MALL
Where the Northwest Comes to Shop

JCPenney
Sears
CUMPA
Walmart
Home Depot
Kroger
Target
Best Buy
Office Depot
Office Max
Stamps.com
FedEx
UPS
Home Depot
Kroger
Target
Best Buy
Office Depot
Office Max
Stamps.com
FedEx
UPS



EXIT





1989









NIC Program Steps

Step	Program	Step Begins	Pattern	Override
------	---------	-------------	---------	----------

TOD Program Steps

Step 1 Program 1 Step Begins 2130

Flash.	X	Dimming Enable.
Red Rest	Alt Veh Extension
Spare 5.	Det Log Enable.
Spare 3.	Spare 4
Type 0 Dly Enable. . .	.	Spare 2
Det Diag Plan.	0	

Phase Number

	1	2	3	4	5	6	7	8	9	10	11	12
Max 2 Enable
Max 3 Enable
Veh Recall
Veh Max Recall
Ped Recall
Cond Service Inhibit.
Phase Omit
Special Function

A B C D E F

Alt Sequence

Step 2 Program 1 Step Begins 0630

Flash.	Dimming Enable.
Red Rest	Alt Veh Extension
Spare 5.	Det Log Enable.
Spare 3.	Spare 4
Type 0 Dly Enable. . .	.	Spare 2
Det Diag Plan.	0	

Phase Number

	1	2	3	4	5	6	7	8	9	10	11	12
Max 2 Enable
Max 3 Enable
Veh Recall
Veh Max Recall
Ped Recall
Cond Service Inhibit.
Phase Omit
Special Function

A B C D E F

Alt Sequence
